

#### Water Quality Report for WATER INTO SUPPLY ZONE ALDERNEY SOUTH

## Monitoring Water Quality

The Government requires all water companies to comply with the Water Supply (Water Quality) Regulations. These regulations are based upon the European Drinking Water Directive and some even more strict UK National standards.

The Regulations dictate how water quality must be monitored; they stipulate the number of samples to be taken and where they should be taken from. They also tell us what parameters we must look for in these samples, including certain characteristics, elements or substances.

South West Water's region is divided into a number of supply zones. A Water Supply zone is defined in order to enable the mandatory sampling programme to be undertaken at the correct frequency per populous. Each zone is a geographical area containing no more than 100,000 permanent residents.

## Water Quality Parameters and their Standards

All of the parameters have standards associated with them, which incorporate a large safety margin in order to protect public health. The standard is usually a maximum value, but some minimum levels are set.

Most of the standards are mandatory and are referred to as a 'Prescribed Concentration or Value' (PCV). Some additional standards called 'Indicator Parameters' are set in order to monitor water treatment and distribution processes.

Any sample result which fails to meet with a standard requires thorough investigation; a detailed assessment is made and prompt remedial action is taken to prevent reoccurrence. This assessment is reported to the industry's independent regulator; The Drinking Water Inspectorate (DWI).

southwestwater.co.uk



# Water Quality Report

# Supply Zone Information Summary

Zone Name: WATER INTO SUPPLY ZONE Zone Id: ZBW1 Population: 75989 ALDERNEY SOUTH

1. Parishes Supplied in the Supply Zone

2. Water Treatment Works Supplying the whole or part of the Supply Zone;

#### ALDERNEY WTW

3. Service Reservoirs located within the Supply Zone;

Service Reservoirs provide short-term storage for treated water enabling continuity of supply during peak demand and as a provision of emergency use such as fire fighting.

4. Health Care Professionals associated with the Supply Zone;

Bournemouth, Christchurch and Poole Council, Public Health England (Wessex)





# Period: 01/01/2022 to 31/12/2022

Mandatory European Standards								
Parameter	Unit	PCV	Number of Samples Taken in Period	% Exceeding PCV	Min	Mean	Мах	
1 2-Dichloroethane	ug/l	3	11	0	0.20	0.22	0.40	
Antimony	ug/l	5	11	0	0.0990	0.12	0.15	
Arsenic	ug/l	10	11	0	0.62	0.65	0.82	
Benzene	ug/l	1	11	0	0.20	0.20	0.20	
Benzo(a)Pyrene	ng/l	10	11	0	0.50	0.50	0.50	
Bromate	ug/l	10	8	0	0.15	0.15	0.15	
Cadmium	ug/l	5	11	0	0.06	0.08	0.2840	
Chromium	ug/l	50	11	0	0.80	0.80	0.80	
Copper	mg/l	2	12	0	0.0138	0.05	0.1350	
E.coli	no/100ml	0	796	0	0	0	0	
Enterococci	no/100ml	0	10	0	0	0	0	
Enterococci	MPN/100ml	0	1	0	0	0	0	
Fluoride	mg/l	1.5	12	0	0.0840	0.10	0.1110	
Lead	ug/l	10	12	0	0.08	0.19	0.6120	
Nickel	ug/l	20	12	0	3.30	3.30	3.30	
Nitrate as NO3	mg/l	50	81	0	11.2760	20.50	31.1190	
Nitrite as NO2	mg/l	0.5	81	0	0.0170	0.05	0.1960	
Selenium	ug/l	10	11	0	0.52	1.01	1.20	
Total Pesticides	ug/l	0.5	14	0	0	0	0.0020	
Total THM	ug/l	100	11	0	19.30	28.11	40.50	
Total Trichlorethene + Tetrachloroethene	ug/l	10	11	0	0	0	0	

Mandatory National Standards									
Parameter	Unit	PCV	Number of Samples Taken in Period	% Exceeding PCV	Min	Mean	Max		
Aluminium	ug/l	200	81	0	4.90	6.95	16.40		

southwestwater.co.uk



Mandatory National Standards								
Parameter	Unit	PCV	Number of Samples Taken in Period	% Exceeding PCV	Min	Mean	Max	
Colour as Pt/Co	mg/l	20	80	0	0.80	1.45	3.80	
Iron	ug/l	200	81	0	7.60	10.16	31.30	
Manganese	ug/l	50	81	0	0.30	0.96	5.94	
Odour (Quantitative)	DN	0	81	0	0	0	0	
Sodium	mg/l	200	11	0	12	14.45	19	
Taste (Quantitative)	DN	0	81	0	0	0	0	
Tetrachloromethane	ug/l	3	11	0	0.20	0.20	0.20	
Turbidity	NTU	4	81	0	0.07	0.10	0.26	

Indicator Parameters									
Parameter	Unit	PCV	Number of Samples Taken in Period	% Exceeding PCV	Min	Mean	Max		
Ammonium as NH4	mg/l	0.5	81	0	0.08	0.10	0.16		
C. perfringens	no/100ml	0	217	0	0	0	0		
Chloride	mg/l	250	13	0	24	26.46	33		
Coliform	no/100ml	0	796	0	0	0	0		
Conductivity at 20 'C	uS/cm	2500	81	0	415	467.12	522		
рН	pH units	6.5 to 9.5	81	0	7.50	7.80	8		
Sulphate	mg/l	250	11	0	20	24.35	31.80		
Total Organic Carbon	mg/l		11	0	1.12	2.45	6.94		
TVC at 22 for 3 days	no/ml		199	0	0	1.26	168		
TVC at 37 for 2 days	no/ml		199	0	0	0.65	43		
Other Parameters not covered by the Regulations									
Parameter	Unit	PCV	Number of Samples Taken in Period	% Exceeding PCV	Min	Mean	Max		
Chlorine Free (On Site)	mg/l		199	0	0.01	0.04	0.12		
Chlorine Total (On Site)	mg/l		199	0	0.10	0.22	0.36		
Hardness Total as Ca	mg/l		44	0	78.20	90.76	114.30		

southwestwater.co.uk

-



Reference;

1000 ug (micrograms) = 1 mg (milligram) 1000 mg = 1 g (gram) 1000 g = 1 kg (kilogram) 1000 ml (millilitres) = 1 l (litre) Therefore; 1 ug/l is 1 microgram per litre 1 mg/l is 1 milligram per litre

NTU - Nephelometric Turbidity Unit

DN - Dilution Number - The Laboratory Panel uses DN as a reporting value, however the standard is 'acceptable to customers and no abnormal change'

southwestwater.co.uk

